INDEX, Vol. 55

Afrikaners. The molecular basis and diagnosis of familial hypercholesterolaemia in South African, 115

alpha-1-antitrypsin. Detection of the common... variants by denaturing gradient gel electrophoresis, 183

alphoid-repeat primers. Polymerase chain reactions with... in combination with *Alu* or LINEs primers, generate chromosome-specific DNA fragments, 199

Alu. Polymerase chain reactions with alphoid-repeat primers in combination with... or LINEs primers, generate chromosome-specific fragments, 199

analysis of family data, the. A generalized non-iterative approach to, 77

Anastasi, R.
see Frontali, M. *et al.*

Andhra Pradesh, India. Multiple recombination events are responsible for the heterogeneity of α^+-thalassemia haplotypes among the forest tribes of, 43

Apo B. *Eco*RI-RFLP of the... gene: a study in a sample group from South Italy, 103

Axenovich, T. I.
see Ginsburg, E. Kh. *et al.*

Babenko, V. N.
see Ginsburg, E. Kh. *et al.*

Ball, S. P., Tongue, N., Gibaud, A., Le Pendu, J., Mollicone, R., Gérard, G. & Oriol, R.
the human chromosome 19 linkage group *FUT1* (*H*), *FUT2* (*SE*), *LE*, *LU*, *PEPD*, *C3*, *APOC2*, *D19S7* and *D19S9*, 225

Barale, R.
see Barrai, I. *et al.*

Barrai, I., Canella, R., Beretta, M., Mamolini, E., Barale, R., Scapoli, C. & Ravani, A.
kinship structures and migration in the Po Delta, 251

Beretta, M.
see Barrai, I. *et al.*

Bernini, L. F.
see Fodde, R. *et al.*

Bertranpetit, J. & Cavalli-Sforza, L. L.
a genetic reconstruction of the history of the population of the Iberian Peninsula, 51

Bowcock, A.
see Spurr, N. K. *et al.*

Brancati, C.
see De Benedictis, G. *et al.*

breast cancer in Britain. Genetic epidemiology of, 151

Brega, A.
see Semino, O. *et al.*

Buetow, K. H.
see Keats, B. J. B. *et al.*

χ^2. A test based on the exact probability of the... statistic – incorporation into the MASC method, 69

Cadiou, H.
see Johnson, P. H. *et al.*

Campbell, S.
see Houlston, R. S. *et al.*

Canella, R.
see Barrai, I. *et al.*

Cappellacci, S.
see Frontali, M. *et al.*

Carotenuto, L.
see De Benedictis, G. *et al.*

Cartwright, P. E.
see Keats, B. J. B. *et al.*

Cavalli-Sforza, L. L.
see Bertranpetit, J.

Cavalli-Sforza, L. L.
see Spurr, N. K. *et al.*

Chakravarti, A.
see Keats, B. J. B. *et al.*

chromosome 4p14. The gene for human neurone specific ubiquitin C-terminal hydrolase (UCHL1, PGP9.5) maps to, 273

chromosome 7. Genetic linkage between the Kell blood group system and prolactin-inducible protein loci: provisional assignment of *KEL* to, 137

chromosome 7q22-qter. Assignment of the hepatocyte growth factor (HGF) to, 213

chromosome 12q14, human. *D12S56*: a highly polymorphic locus on, 279

chromosome 19. The human... linkage group *FUT1* (*H*), *FUT2* (*SE*), *LE*, *LU*, *PEPD*, *C3*, *APOC2*, *D19S7* and *D19S9*, 225

chromosome-specific DNA fragments. Polymerase chain reactions with alphoid-repeat primers in combination with *Alu* or LINEs primers, generate, 199

Clerget-Darpoux, F.
see Müller, B.

Coghlan, G.
see Zelinski, T. *et al.*

Collins, A. & Morton, N. E.
significance of maximal lods, 39

Collins, A.
see Houlston, R. S. *et al.*

Collins, A.
see Morton, N. E. *et al.*

Collins, W. P.
see Houlston, R. S. *et al.*

Constans, J.
see Hazout, S. *et al.*

Crescibene, L.
see De Benedictis, G. *et al.*

Curtis, D. & Gurling, H. M. D.
using a dummy quantitative variable to deal with multiple affection categories in genetic linkage analysis, 321

D12S56: a highly polymorphic locus on human chromosome 12q14, 279
Day, I. N. M.
see Edwards, Y. H. *et al.*
De Benedictis, G., Rose, G., Mazzei, R., Leone, O., Crescibene, L., Brancati, C. & Carotenuto, L.
*Eco*RI-RFLP of the Apo B gene: a study in a sample group from South Italy, 103
De Braekeleer, M. & Larochelle, J.
population genetics of vitamin D-dependent rickets in northeastern Quebec, 283
Delhanty, J.
see Ulinowski, Z. *et al.*
denaturing gradient gel electrophoresis. Detection of the common alpha-1-antitrypsin variants by, 183
DNA. Assignment of eight human genomic... sequences detecting high frequency restriction fragment length polymorphisms, 141
DNA. Polymerase chain reactions with alphoid-repeat primers in combination with *Alu* or LINEs primers, generate chromosome-specific... fragments, 199
Donner, A.
see Eliasziw, M.
Drago, G. A., Hopkinson, D. A., Westwood, S. A. & Whitehouse, D. B.
antigenic analysis of the major human phosphoglucomutase isozymes: PGM1, PGM2, PGM3 and PGM4, 263
Dugoujon, J. M.
see Hazout, S. *et al.*
Du Plessis, L.
see Kotze, M. J. *et al.*

Edwards, J. H.
the Oxford Grid, 17
Edwards, J. H.
the reliability of locus orderings, 315
Edwards, Y. H., Fox, M. F., Povey, S., Hinks, L. J., Thompson, R. J. & Day, I. N. M.
the gene for human neurone specific ubiquitin C-terminal hydrolase (UCHL1, PGP9.5) maps to chromosome 4p14, 273
Eliasziw, M. & Donner, A.
a generalized non-iterative approach to the analysis of family data, 77
Erickson, R. P., Glover, T. W., Hall, B. K. & Witt, M
polymerase chain reactions with alphoid-repeat primers in combination with *Alu* or LINEs primers, generate chromosome-specific DNA fragments, 199

Feder, J.
see Spurr, N. K. *et al.*
fibronectin. Confirmation of the assignment of the vitronectin (VNRA) and... (FNRA) receptor α-subunits, 217
Fodde, R., Harteveld, C. L., Losekoot, M., Giordano, P. C., Meera Khan, P., Nayudu, N. V. S. & Bernini, L. F.
multiple recombination events are responsible for the heterogeneity of α^+-thalassemia haplotypes among the forest tribes of Andhra Pradesh, India, 43
Fox, M. F.
see Edwards, Y. H. *et al.*
Francke, U.
see Keats B. J. B. *et al.*
Frontali, M., Iodice, C., Lulli, P., Spadaro, M., Cappellacci, S., Giunti, P., Malaspina, P., Morellini, M., Morocutti, C., Novelletto, A., Persichetti, F., Trabace, S., Anastasi, R. & Terrenato, L.
spinocerebellar ataxia (*SCA1*) in two large Italian kindreds: evidence in favour of a locus position distal to *GLO1* and the HLA cluster, 7

gene maps and location databases, 235
Gérard, G.
see Ball, S. P. *et al.*
Gibaud, A.
see Ball, S. P. *et al.*
Ginsburg, E. Kh., Axenovich, T. I. & Babenko, V. N.
comparison of asymptotic tests of the Hardy–Weinberg distribution, 329
Giordani, P. C.
see Fodde, R. *et al.*
Giunti, P.
see Frontali, M. *et al.*
GLO1. Spinocerebellar ataxia (*SCA1*) in two large Italian kindreds: evidence in favour of a locus position distal to... and the HLA cluster, 7
Glover, T. W.
see Erickson, R. P. *et al.*
Green, J. R. & Grennan, D. M.
testing for haplotype sharing by siblings with incomplete information of parental haplotypes, 243
Green, P. P.
see Keats, B. J. B. *et al.*
Green, P.
see Lander, E. S.
Grennan, D. M.
see Green, J. R.
Griffin, D.
see Ulinowski, Z. *et al.*
guidelines for human linkage maps: an International System for Human Linkage Maps (ISLM 1990), 1
Gurling, H. M. D.
see Curtis, D.

Hall, B. K.
see Erickson, R. P. *et al.*
haplotype sharing. Testing for... by siblings with incomplete information of parental haplotypes, 243
Hardy–Weinberg distribution, the. Comparison of asymptotic tests of, 329
Harteveld, C. L.
see Fodde, R. *et al.*
Hazout, S., Dugoujon, J. M., Loirat, F. & Constans, J.
genetic similarity maps and immunoglobulin allo-

types of eleven populations from the Pyrenees (France), 161
hepatocyte growth factor. Assignment of the ... (HGF) to chromosome 7q22-qter, 213
(HGF). Assignment of the hepatocyte growth factor ... to chromosome 7q22-qter, 213
Hindus. Mitochondrial DNA polymorphisms among ...: a comparison with the Tharus of Nepal, 123
Hinks, L. J.
see Edwards, Y. H. *et al.*
HLA. Spinocerebellar ataxia (*SCA1*) in two large Italian kindreds: evidence in favour of a locus position distal to *GLO1* and the ... cluster, 7
Hodgson, H.
see Laguda, B. *et al.*
Hopkinson, D. A.
see Drago, G. A. *et al.*
Hopkinson, D. A.
see Johnson, P. H. *et al.*
Houlston, R. S., Collins, A., Slack, J., Campbell, S, Collins, W. P., Whitehead, M. I. & Morton, N. E.
genetic epidemiology of ovarian cancer: segregation analysis, 291
hypercholesterolaemia. The molecular basis and diagnosis of familial ... in South African Afrikaners, 115

Iberian Peninsula, the. A genetic reconstruction of the history of the population of, 51
Ikemoto, S.
see Kajii, E. *et al.*
immunoglobulin. Genetic similarity maps and ... allotypes of eleven populations from the Pyrenees (France), 161
incomplete penetrance. Family data determine all parameters in Mendelian ... models, 175
Iodice, C.
see Frontali, M. *et al.*
Iselius, L., Slack, J., Littler, M. & Morton, N. E.
genetic epidemiology of breast cancer in Britain, 151
(ISLM 1990). Guidelines for human linkage maps: an International System for Human Linkage Maps, 1
Italian. Spinocerebellar ataxia (*SCA1*) in two large ... kindreds: evidence in favour of a locus position distal to *GLO1* and the HLA cluster, 7
Italy, South. *Eco*RI-RFLP of the Apo B gene: a study in a sample group from, 103
Iwamoto, S.
see Kajii, E. *et al.*

Johnson, P. H., Cadiou, H. & Hopkinson, D. A.
detection of the common alpha-1-antitrypsin variants by denaturing gradient gel electrophoresis, 183
Jones, M.
see Laguda, B. *et al.*

Kajii, E., Iwamoto, S., Omi, T. & Ikemoto, S.
a new genetic polymorphism in human platelet polypeptides detected by two-dimensional electrophoresis, 93
Keats, B. J. B., Sherman, S. L., Morton, N. E., Robson, E. B., Buetow, K. H., Cartwright, P. E., Chakravarti, A., Francke, U., Green, P. P. & Ott, J.
guidelines for human linkage maps: an International System for Human Linkage Maps (ISLM 1990), 1
Kell blood group. Genetic linkage between the ... system and prolactin-inducible protein loci: provisional assignment of *KEL* to chromosome 7, 137
Keller, J. B.
see Whittemore, A. S. *et al.*
Kelsell, D.
see Spurr, N. K. *et al.*
kinship structures and migration in the Po Delta, 251
Kotze, M. J., Langenhoven, E., Warnich, L., Du Plessis, L. & Retief, A. E.
the molecular basis and diagnosis of familial hypercholesterolaemia in South African Afrikaners, 115

Laguda, B., Seldon, C., Jones, M., Hodgson, H. & Spurr, N. K.
assignment of the hepatocyte growth factor (HGF) to chromosome 7q22-qter, 213
Lander, E. S. & Green, P.
counting algorithms for linkage: correction to Morton and Collins, 33
Langenhoven, E.
see Kotze, M. J. *et al.*
Larochelle, J.
see De Braekeleer, M.
Leone, O.
see De Benedictis, G. *et al.*
Le Pendu, J.
see Ball, S. P. *et al.*
Lewis, M.
see Zelinski, T. *et al.*
LINEs primers. Polymerase chain reactions with alphoid-repeat primers in combination with *Alu* or ..., generate chromosome-specific DNA fragments, 199
linkage. Counting algorithms for ...: correction to Morton and Collins, 33
linkage. Genetic ... between the Kell blood group system and prolactin-inducible protein loci: provisional assignment of *KEL* to chromosome 7, 137
linkage. Guidelines for human ... maps: an International System for Human Linkage Maps (ISLM 1990), 1
linkage. The human chromosome 19 ... group *FUT1* (*H*), *FUT2* (*SE*), *LE*, *LU*, *PEPD*, *C3*, *APOC2*, *D19S7* and *D19S9*, 225
linkage. Using a dummy quantitative variable to deal with multiple affection categories in genetic ... analysis, 321

Littler, M.
see Iselius, L. *et al.*
location databases. Gene maps and, 235
locus orderings. The reliability of, 315
Loirat, F.
see Hazout, S. *et al.*
Losekoot, M.
see Fodde, R. *et al.*
Lulli, P.
see Frontali, M. *et al.*

Malaspina, P.
see Frontali, M. *et al.*
Mamolini, E.
see Barrai, I. *et al.*
MASC method, the. A test based on the exact probability distribution of the χ^2 statistic – incorporation into, 69
maximal lods. Significance of, 39
Mazzei, R.
see De Benedictis, G. *et al.*
Meera Khan, P.
see Fodde, R. *et al.*
Mendelian incomplete penetrance models. Family data determine all parameters in, 175
migration. Kinship structures and... in the Po Delta, 251
mitochondrial DNA polymorphisms among Hindus: a comparison with the Tharus of Nepal, 123
Mollicone, R.
see Ball, S. P. *et al.*
Morellini, M.
see Frontali, M. *et al.*
Morocutti, C.
see Frontali, M. *et al.*
Morton, N. E.
gene maps and location databases, 235
Morton, N. E., Shields, D. C. & Collins, A.
genetic epidemiology of complex phenotypes, 301
Morton, N. E.
review of *Genetic maps: locus maps of complex genomes*, 5th edition, edited by S. J. O'Brien, 181
Morton, N. E.
see Collins, A.
Morton, N. E.
see Houlston, R. S. *et al.*
Morton, N. E.
see Iselius, L. *et al.*
Morton, N. E.
see Keats, B. J. B. *et al.*
Müller, B. & Clerget-Darpoux, F.
a test based on the exact probability distribution of the χ^2 statistic – incorporation into the MASC method, 69
Myal, Y.
see Zelinski, T. *et al.*

Nayudi, N. V. S.
see Fodde, R. *et al.*
Nepal. Mitochondrial DNA polymorphisms among Hindus: a comparison with the Tharus of, 123
Novelletto, A.
see Frontali, M. *et al.*

O'Brien, S. J. *ed.*
Genetic maps: locus maps of complex genomes, 5th edition, reviewed by N. E. Morton, 181
Omi, T.
see Kajii, E. *et al.*
Oriol, R.
see Ball, S. P. *et al.*
Ott, J.
see Keats, B. J. B. *et al.*
ovarian cancer. Genetic epidemiology of...: segregation analysis, 291
Oxford Grid, the, 17

Persichetti, F.
see Frontali, M. *et al.*
PGM1, PGM2, PGM3 and PGM4. Antigenic analysis of the major human phosphoglucomutase isozymes, 263
PGP9.5. The gene for human neurone specific ubiquitin C-terminal hydrolase (UCHL1,...) maps to chromosome 4p14, 273
phenotypes, complex. Genetic epidemiology of, 301
Philipps, S.
see Zelinski, T. *et al.*
phosphoglucomutase. Antigenic analysis of the major human... isozymes: PGM1, PGM2, PGM3 and PGM4, 263
platelet polypeptides. A new genetic polymorphism in human... detected by two-dimensional electrophoresis, 93
Po Delta. Kinship structures and migration in, 251
polymerase chain reactions with alphoid-repeat primers in combination with *Alu* or LINEs primers, generate chromosome-specific DNA fragments, 199
population genetics of vitamin D-dependent rickets in northeastern Quebec, 283
Povey, S.
see Edwards, Y. H. *et al.*
prolactin-inducible protein. Genetic linkage between the Kell blood group system and... loci: provisional assignment of *KEL* to chromosome 7, 137
Pyrenees. Genetic similarity maps and immunoglobulin allotypes of eleven populations from the... (France), 161

Quebec, northeastern. Population genetics of vitamin D-dependent rickets in, 283

Ravani, A.
see Barrai, I. *et al.*
restriction fragment length polymorphisms. Assignment of eight human genomic DNA sequences detecting high frequency, 141
Retief, A. E.
see Kotze, M. J. *et al.*

Robson, E. B.
see Keats, B. J. B. *et al.*
Rooke, L.
see Spurr, N. K. *et al.*
Rooke, L.
see Spurr, N. K.
Rose, G.
see De Benedictis, G. *et al.*

Santachiara Benerecetti, A. S.
see Semino, O. *et al.*
Scapoli, C.
see Barrai, I. *et al.*
Scozzari, R.
see Semino, O. *et al.*
Selden, C.
see Laguda, B. *et al.*
Semino, O., Torroni, A., Scozzari, R., Brega, A & Santachiara Benerecetti, A. S.
mitochondrial DNA polymorphisms among Hindus: a comparison with the Tharus of Nepal, 123
Sherman, S. L.
see Keats, B. J. B. *et al.*
Shields, D. C.
see Morton, N. E. *et al.*
Shiu, R. P. C.
see Zelinski, T. *et al.*
Slack, J.
see Houlston, R. S. *et al.*
Slack, J.
see Iselius, L. *et al.*
Spadaro, M.
see Frontali, M. *et al.*
spinocerebellar ataxia (*SCA1*) in two large Italian kindreds: evidence in favour of a locus position distal to *GLO1* and the HLA cluster, 7
Spurr, N. K., Kelsell, D., Rooke, L., Cavalli-Sforza, L. L., Bowcock, A. & Feder, J.
assignment of eight human genomic DNA sequences detecting high frequency restriction fragment length polymorphisms, 141
Spurr, N. K. & Rooke, L.
confirmation of the assignment of the vitronectin (VNRA) and fibronectin (FNRA) receptor α-subunits, 217
Spurr, N. K.
see Laguda, B. *et al.*

Taylor, K.
see Ulinowski, Z. *et al.*
Terrenato, L.
see Frontali, M. *et al.*
thalassemia. Multiple recombination events are responsible for the heterogeneity of α^+-... haplotypes among the forest tribes of Andhra Pradesh, India, 43
Tharus. Mitochondrial DNA polymorphisms among Hindus: a comparison with the ... of Nepal, 123
Thompson, R. J.
see Edwards, Y. H. *et al.*
Tongue, N.
see Ball, S. P. *et al.*
Torroni, A.
see Semino, O. *et al.*
Trabace, S.
see Frontali, M. *et al.*

ubiquitin C-terminal hydrolase. The gene for human neurone specific ... (UCHL1, PGP9.5) maps to chromosome 4p14, 273
Ulinowski, Z., Taylor, K., Griffin, D., Delhanty, J. & Wolfe, J.
D12S56: a highly polymorphic locus on human chromosome 12q14, 279

vitamin D-dependent rickets. Population genetics of ... in northeastern Quebec, 283
vitronectin. Confirmation of the assignment of the ... (VNRA) and fibronectin (FNRA) receptor α-subunits, 217

Ward, M. J.
see Whittemore, A. S. *et al.*
Warnich, L.
see Kotze, M. J. *et al.*
Westwood, S. A.
see Drago, G. A. *et al.*
White, L.
see Zelinski, T. *et al.*
Whitehead, M. I.
see Houlston, R. S. *et al.*
Whitehouse, D. B.
see Drago, G. A. *et al.*
Whittemore, A. S., Keller, J. B. & Ward, M. J.
family data determine all parameters in Mendelian incomplete penetrance models, 175
Witt, M.
see Erickson, R. P. *et al.*
Wolfe, J.
see Ulinowski, Z. *et al.*

Zelinski, T., Coghlan, G., Myal, Y., Shiu, R. P. C., Philipps, S., White, L. & Lewis, M.
genetic linkage between the Kell blood group system and prolactin-inducible protein loci: provisional assignment of *KEL* to chromosome 7, 137